

WINDOWS & DOORS LISTING PROGRAM

Customer: Fairmont Window and Door Ltd.
Class: Fenestration Products – Energy Performance
Location: Richmond, British Columbia
Website: www.fairmontwindow.com

Listing No. W590-1
Project No. W590-1 ED2
Effective Date: October 11, 2022
Last Revised Date: November 30, 2022
Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W590
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

HA87 Series Picture Window

Glass Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	FMT-HA87-PC-3,SB60(2)-3,CL-3,CL-16AR90CU	1.23	0.28	N/A
G02	FMT-HA87-PC-5,SB60(2)-5,CL-5,CL-14AR90CU	1.22	0.27	N/A
G03	FMT-HA87-PC-5,SB60(2)-5,CL-5,i89(6)-14AR90CU	1.09	0.26	N/A
G04	FMT-HA87-PC-5,SB60(2)-5,SB60(4)-5,CL-14AR90CU	0.95	0.24	N/A

Glass Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G05	FMT-HA87-PC-5,SB70(2)-5,SB70(4)-5,CL-14AR90CU	0.93	0.16	N/A
G06	FMT-HA87-PC-5,180(2)-5,180(4)-5,CL-14AR90CU	0.99	0.39	N/A

HA87 Series Tilt & Turn Window

Glass Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	FMT-HA87-TT-3,SB60(2)-3,CL-3,CL-16AR90CU	1.26	0.24	N/A
G02	FMT-HA87-TT-5,SB60(2)-5,CL-5,CL-14AR90CU	1.25	0.24	N/A
G03	FMT-HA87-TT-5,SB60(2)-5,CL-5,i89(6)-14AR90CU	1.14	0.23	N/A
G04	FMT-HA87-TT-5,SB60(2)-5,SB60(4)-5,CL-14AR90CU	1.02	0.21	N/A
G05	FMT-HA87-TT-5,SB70(2)-5,SB70(4)-5,CL-14AR90CU	1.00	0.14	N/A
G06	FMT-HA87-TT-5,180(2)-5,180(4)-5,CL-14AR90CU	1.05	0.34	N/A

93 Series Picture Window

Glass Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	FMT-93-PC-5,CL-5,SB60(3)-5,CL-15AR90CU-F1	1.22	0.35	33
G02	FMT-93-PC-5,CL-5,SB60(4)-5,CL-15AR90CU-F1	1.17	0.31	32
G03	FMT-93-PC-5,CL-5,CL-5,SB60(5)-15AR90CU-F1	1.17	0.35	34
G04	FMT-93-PC-5,CL-5,SB60(3)-5,SB60(5)-15AR90CU-F1	0.92	0.31	37
G05	FMT-93-PC-5,SB60(2)-5,CL-5,CL-15AR90CU-F1	1.22	0.29	30
G06	FMT-93-PC-5,SB60(2)-5,SB60(4)-5,CL-15AR90CU-F1	0.92	0.26	34
G07	FMT-93-PC-5,SB60(2)-5,CL-5,SB60(5)-15AR90CU-F1	0.92	0.27	35
G08	FMT-93-PC-5,CL-5,SB90(3)-5,CL-15AR90CU-F1	1.21	0.25	28
G09	FMT-93-PC-5,CL-5,SB90(4)-5,CL-15AR90CU-F1	1.16	0.21	26
G10	FMT-93-PC-5,CL-5,CL-5,SB90(5)-15AR90CU-F1	1.16	0.27	30
G11	FMT-93-PC-5,CL-5,SB90(3)-5,SB90(5)-15AR90CU-F1	0.91	0.21	32
G12	FMT-93-PC-5,SB90(2)-5,CL-5,CL-15AR90CU-F1	1.21	0.17	23
G13	FMT-93-PC-5,SB90(2)-5,SB90(4)-5,CL-15AR90CU-F1	0.91	0.13	27
G14	FMT-93-PC-5,SB90(2)-5,CL-5,SB90(5)-15AR90CU-F1	0.91	0.15	28

93 Series Tilt & Turn Window

Glass Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	FMT-93-TT-5,CL-5,SB60(3)-5,CL-15AR90CU-F1	1.27	0.29	N/A
G02	FMT-93-TT-5,CL-5,SB60(4)-5,CL-15AR90CU-F1	1.23	0.26	N/A
G03	FMT-93-TT-5,CL-5,CL-5,SB60(5)-15AR90CU-F1	1.23	0.30	N/A
G04	FMT-93-TT-5,CL-5,SB60(3)-5,SB60(5)-15AR90CU-F1	1.02	0.26	N/A
G05	FMT-93-TT-5,SB60(2)-5,CL-5,CL-15AR90CU-F1	1.27	0.25	N/A
G06	FMT-93-TT-5,SB60(2)-5,SB60(4)-5,CL-15AR90CU-F1	1.02	0.22	N/A
G07	FMT-93-TT-5,SB60(2)-5,CL-5,SB60(5)-15AR90CU-F1	1.02	0.23	N/A
G08	FMT-93-TT-5,CL-5,SB90(3)-5,CL-15AR90CU-F1	1.26	0.21	N/A
G09	FMT-93-TT-5,CL-5,SB90(4)-5,CL-15AR90CU-F1	1.22	0.18	N/A
G10	FMT-93-TT-5,CL-5,CL-5,SB90(5)-15AR90CU-F1	1.22	0.23	N/A
G11	FMT-93-TT-5,CL-5,SB90(3)-5,SB90(5)-15AR90CU-F1	1.01	0.17	N/A
G12	FMT-93-TT-5,SB90(2)-5,CL-5,CL-15AR90CU-F1	1.26	0.15	N/A
G13	FMT-93-TT-5,SB90(2)-5,SB90(4)-5,CL-15AR90CU-F1	1.01	0.12	N/A
G14	FMT-93-TT-5,SB90(2)-5,CL-5,SB90(5)-15AR90CU-F1	1.01	0.13	N/A

93 Series Hopper Window

Glass Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	FMT-93-HP-5,CL-5,SB60(3)-5,CL-15AR90CU-F1	1.36	0.22	N/A
G02	FMT-93-HP-5,CL-5,SB60(4)-5,CL-15AR90CU-F1	1.34	0.20	N/A
G03	FMT-93-HP-5,CL-5,CL-5,SB60(5)-15AR90CU-F1	1.34	0.23	N/A
G04	FMT-93-HP-5,CL-5,SB60(3)-5,SB60(5)-15AR90CU-F1	1.18	0.20	N/A
G05	FMT-93-HP-5,SB60(2)-5,CL-5,CL-15AR90CU-F1	1.36	0.19	N/A
G06	FMT-93-HP-5,SB60(2)-5,SB60(4)-5,CL-15AR90CU-F1	1.18	0.17	N/A
G07	FMT-93-HP-5,SB60(2)-5,CL-5,SB60(5)-15AR90CU-F1	1.18	0.18	N/A
G08	FMT-93-HP-5,CL-5,SB90(3)-5,CL-15AR90CU-F1	1.36	0.16	N/A
G09	FMT-93-HP-5,CL-5,SB90(4)-5,CL-15AR90CU-F1	1.33	0.14	N/A
G10	FMT-93-HP-5,CL-5,CL-5,SB90(5)-15AR90CU-F1	1.33	0.18	N/A
G11	FMT-93-HP-5,CL-5,SB90(3)-5,SB90(5)-15AR90CU-F1	1.17	0.14	N/A
G12	FMT-93-HP-5,SB90(2)-5,CL-5,CL-15AR90CU-F1	1.36	0.11	N/A
G13	FMT-93-HP-5,SB90(2)-5,SB90(4)-5,CL-15AR90CU-F1	1.17	0.09	N/A
G14	FMT-93-HP-5,SB90(2)-5,CL-5,SB90(5)-15AR90CU-F1	1.17	0.10	N/A

Notes:

- Windows and doors are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.