QAI LABORATORIES
CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
TORONTO, ON: 905.605.5444 ph. |
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
MIAMI, FL: 305.885.3328 ph. | 305.885.3329 fx.
WEBSITE: WWW.QAI.ORG

WINDOWS & DOORS LISTING PROGRAM

Customer: Lux Windows & Glass Ltd.
Class: Fenestration Products – Energy Performance
Location: Calgary, Alberta
Website: www.luxwindows.com

Listing No. W475-5
Project No. W475-5 ED2
Effective Date: February 16, 2023
Last Revised Date: October 29, 2026
Expires: N/A

Standards: CSA A440.2-14 “Fenestration Energy Performance”

Product: Exterior Doors

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

a) Manufacturer’s name, Trademark or other recognized symbol or identification.
b) QAI file Number: W475
c) QAI logo shown here:



d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings: Links to downloadable databases are available on the following page(s).

QAI LABORATORIES
CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
TORONTO, ON: 905.605.5444 ph. |
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
MIAMI, FL: 305.885.3328 ph. | 305.885.3329 fx.
WEBSITE: WWW.QAI.ORG

Energy Performance Values for Centra Windows Inc. products are found in the databases listed below:

Product Model and Series	Listed Product Database Link
1-3/4" Aluminum Clad Wood In-Swing/Out-Swing Side-Hinged Door (Lux Door Slab)	W475-5_ED2_Lux_01_175_AlCladWood_Door_LuxSlab.xlsx
1-3/4" Fiberglass In-Swing/Out-Swing Side-Hinged Door (Lux Door Slab)	W475-5_ED2_Lux_02_175_Fiberglass_Door_LuxSlab.xlsx
1-3/4" Fiberglass In-Swing/Out-Swing Side-Hinged Door (Plastpro Door Slab)	W475-5_ED2_Lux_03_175_Fiberglass_Door_PlastproSlab.xlsx
1-3/4" Fiberglass In-Swing/Out-Swing Sidelite (Lux Door Slab)	W475-5_ED2_Lux_04_175_Fiberglass_Sidelite_LuxSlab.xlsx
1-3/4" Fiberglass In-Swing/Out-Swing Sidelite (Plastpro Door Slab)	W475-5_ED2_Lux_05_175_Fiberglass_Sidelite_PlastproSlab.xlsx
1-3/4" Fiberglass In-Swing Side-Hinged Door with Aluminum Clad Wood Frame	*W475-5_ED2_Lux_06_175_Fiberglass_InSwing_CladWoodFrame.xlsx*
1-3/4" Fiberglass Out-Swing Side-Hinged Door with Aluminum Clad Wood Frame	W475-5_ED2_Lux_07_175_Fiberglass_OutSwing_CladWoodFrame.xlsx
1-3/4" Fiberglass In-Swing Side-Hinged Door with Aluminum Clad Composite Frame	W475-5_ED2_Lux_08_175_Fiberglass_InSwing_CladCompositeFrame.xlsx
1-3/4" Fiberglass Out-Swing Side-Hinged Door with Aluminum Clad Composite Frame	W475-5_ED2_Lux_09_175_Fiberglass_OutSwing_CladCompositeFrame.xlsx
2-1/4" Aluminum Clad Wood Out-Swing Side-Hinged Door (Lux Door Slab)	W475-5_ED2_Lux_10_225_AlCladWood_OutSwing_Door_LuxSlab.xlsx
2-1/4" Standard Rail Aluminum Clad Fir In-Swing Side-Hinged Door with Aluminum Clad Wood Frame	W475-5_ED2_Lux_11_225_StdRail_Fir_InSwing_Door_CladWoodFrame.xlsx
2-1/4" Standard Rail Aluminum Clad Fir Out-Swing Side-Hinged Door with Aluminum Clad Wood Frame	W475-5_ED2_Lux_12_225_StdRail_Fir_OutSwing_Door_CladWoodFrame.xlsx
2-1/4" Narrow Rail Aluminum Clad Fir In-Swing Side-Hinged Door with Aluminum Clad Wood Frame	W475-5_ED2_Lux_13_225_NarrowRail_Fir_InSwing_Door_CladWoodFrame.xlsx
2-1/4" Narrow Rail Aluminum Clad Fir Out-Swing Side-Hinged Door with Aluminum Clad Wood Frame	W475-5_ED2_Lux_14_225_NarrowRail_Fir_OutSwing_Door_CladWoodFrame.xlsx
2-1/4" Standard Rail Aluminum Clad Fir Venting Sidelite with Aluminum Clad Wood Frame	W475-5_ED2_Lux_15_225_StdRail_Fir_Venting_Sidelite.xlsx
2-1/4" Standard Rail Aluminum Clad Fir Non-Venting Sidelite with Aluminum Clad Wood Frame	W475-5_ED2_Lux_16_225_StdRail_Fir_NonVenting_Sidelite.xlsx
2-1/4" Narrow Rail Aluminum Clad Fir Venting Sidelite with Aluminum Clad Wood Frame	W475-5_ED2_Lux_17_225_NarrowRail_Fir_Venting_Sidelite.xlsx
2-1/4" Narrow Rail Aluminum Clad Fir Non-Venting Sidelite with Aluminum Clad Wood Frame	W475-5_ED2_Lux_18_225_NarrowRail_Fir_NonVenting_Sidelite.xlsx
Direct Glazed Sidelite with Aluminum Clad Wood Frame all around	W475-5_ED2_Lux_19_DirectGlazed_Sidelite_CladWood_AllAround.xlsx
Direct Glazed Sidelite with Aluminum Clad Wood Frame and Sill Adaptor	W475-5_ED2_Lux_20_DirectGlazed_Sidelite_CladWood_SillAdaptor.xlsx
Direct Glazed Transom with Aluminum Clad Wood Frame all around	W475-5_ED2_Lux_21_DirectGlazed_Transom_CladWood_AllAround.xlsx
Direct Glazed Sidelite with Aluminum Clad Composite Frame and Sill Adaptor	W475-5_ED2_Lux_22_DirectGlazed_Sidelite_CladComposite_SillAdaptor.xlsx
Direct Glazed Transom with Aluminum Clad Composite Frame all around	W475-5_ED2_Lux_23_DirectGlazed_Transom_CladComposite_AllAround.xlsx

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
TORONTO, ON: 905.605.5444 ph. |
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
MIAMI, FL: 305.885.3328 ph. | 305.885.3329 fx.
WEBSITE: WWW.QAI.ORG

Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.