



WINDOWS & DOORS LISTING PROGRAM

Customer: Golem Windows and Doors Inc.
Class: Fenestration Products – Energy Performance
Location: Richmond, British Columbia
Website: www.golemwindows.ca

Listing No. W594-2
Project No. W594-2 ED3
Effective Date: August 17, 2023
Last Revised Date: March 27, 2025
Expires: N/A

Standards: CSA A440.2-19 “Fenestration Energy Performance”

Product: Doors

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- Manufacturer’s name, Trademark or other recognized symbol or identification.
- QAI file Number: W594
- QAI logo shown here:



- “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

ADS 75 Series Outswing Side-Hinged Door

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	GOL-75OSHD-6,SJCL-6,D60(3)-16AR90TI-F1	2.02	0.30	12
G02	GOL-75OSHD-6,SJCL-6,D60(3)-16AR904S-F1	1.95	0.30	14
G03	GOL-75OSHD-6,S106(2)-6,S106(4)-16AR90SS-F1	1.70	0.24	16
G04	GOL-75OSHD-6,SJCL-6,D60(3)-6,D60(5)-16AR90TI-F1	1.50	0.23	20
G05	GOL-75OSHD-6,SJCL-6,D60(3)-6,D60(5)-16AR904S-F1	1.47	0.23	20



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G06	GOL-75OSHD-6,S116(2)-6,S116(4)-6,S816(6)-16AR90SS-F1	1.40	0.28	25
G07	GOL-75OSHD-6,S106(2)-6,S106(4)-6,S816(6)-16AR90SS-F1	1.38	0.21	21
G08	GOL-75OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-14AR97SP-F1	1.31	0.32	29
G09	GOL-75OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-16AR97SP-F1	1.30	0.32	29
G10	GOL-75OSHD-6,P33L(2)-6,EZ2(4)-6,EZ2(6)-14/16AR97SP-F1	1.30	0.30	28
G11	GOL-75OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-6XE95SP-F1	1.30	0.32	29
G12	GOL-75OSHD-6,EZ2(2)-6,EZ2(4)-6,KN76(6)-14AR97SP-F1	1.30	0.27	26
G13	GOL-75OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-6,EZ2(8)-6XE95SP-F1	1.17	0.29	30
G14	GOL-75OSHD-4,EZ2(2)-4,EZ2(4)-4,EZ2(6)-4,EZ2(8)-14AR97SP-F1	1.19	0.30	30

ADS 90 Series Outswing Side-Hinged Door

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	GOL-90OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-14AR97SP-F1	1.23	0.29	N/A
G02	GOL-90OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-16AR97SP-F1	1.23	0.29	N/A
G03	GOL-90OSHD-6,P33L(2)-6,EZ2(4)-6,EZ2(6)-14/16AR97SP-F1	1.23	0.27	N/A
G04	GOL-90OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-6XE95SP-F1	1.25	0.29	N/A
G05	GOL-90OSHD-6,EZ2(2)-6,EZ2(4)-6,KN76(6)-14AR97SP-F1	1.23	0.25	N/A
G06	GOL-90OSHD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-6,EZ2(8)-6XE95SP-F1	1.13	0.26	N/A
G07	GOL-90OSHD-4,EZ2(2)-4,EZ2(4)-4,EZ2(6)-4,EZ2(8)-14AR97SP-F1	1.11	0.27	N/A

ADS 90 Series Inswing Side-Hinged Flush Panel Door

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	GOL-90ISHD-FP-F1	1.04	0.02	N/A

SE80 Series Lift & Slide Door

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	GOL-SE80LSD-6,SJCL-6,D60(3)-6,D60(5)-16AR90TI-F1	1.45	0.27	23
G02	GOL-SE80LSD-6,SJCL-6,D60(3)-6,D60(5)-16AR904S-F1	1.41	0.27	24
G03	GOL-SE80LSD-6,EZ2(2)-6,EZ2(4)-6,EZ2(6)-16AR90SP-F1	1.27	0.38	34
G04	GOL-SE80LSD-6,P33L(2)-6,EZ2(4)-6,EZ2(6)-16AR90SP-F1	1.27	0.36	33



Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.