



---

## **FACTORY CONSTRUCTED BUILDINGS AND STRUCTURES LISTING PROGRAM**

Customer: Minimaliste Inc.  
Class: Modular Homes  
Location: Saint-Pierre, Quebec  
Website: [www.minimalistehouses.com](http://www.minimalistehouses.com)

Product Site: REC841-1  
Project No. REC841-1, Edition 1

Effective Date: November 20, 2024  
Last Revised Date: November 20, 2024  
Expires: N/A

Standards: CSA A277 "Procedure for Factory Certification of Prefabricated Buildings, Modules, and Panels"

Quebec Construction Code, Chapter I – Building (NBC with Quebec amendments), Part 9

CSA C22.10 Quebec Construction Code, Chapter V – Electricity (Canadian Electrical Code, Part I, "Safety Standard for Electrical Installations" with Quebec amendments)

National Plumbing Code of Canada

Ontario Building Code, Part 9 Housing and small buildings

Ontario Building Code, Part 7 Plumbing

Ontario Electrical Safety Code (CSA C22.1 Canadian Electrical Code, Part I, "Safety Standard for Electrical Installations" with Ontario amendments)

*Note 1: Unless otherwise specified, the Standards and Codes noted are the most current versions in effect.*

*Note 2: Various provinces and territories have amendments to the national building code, jurisdictions may require structures to comply with provincial/municipal codes in lieu of the national building codes, the local AHJ should be consulted on the applicable requirements.*

Product: Factory Built Modular Homes

Markings: Products are labelled and marked in a permanent manner where it is readily visible after installation with the following information:

1. The QAI label (item 1067, black with gold, 3-1/2" diameter) is normally located in close proximity to the electrical panel and includes:

- Certification label serial number
- QAI certification logo with the "C" Identifier
- "Modular Homes"



QAI logo shown here:



2. The specification nameplate (item 1068, 8-1/2" x 14" size) is located in close proximity to the electrical panel and includes:

- Manufacturer's Name and Address
- Date of Manufacture
- Model Serial Number or Product Code
- Foundation Type (Perimeter Foundation Wall or Piers)
- Floor live Load
- Specified Snow Load (1/50)
- Seismic Response  $S_a$  (0.2)
- Hourly Wind Pressure (1/50)
- Envelope Effective Thermal Resistance
- Windows/Doors/Skylights Thermal Characteristics
- Outside Design Temperature (Heat Loss or Heat Gain)
- Factory Installed Appliances
- Site Installed Components, Assemblies, and Systems
- Electrical Systems Voltage, Frequency, and Amperage

3. Other Markings as required by the relevant codes.

**Note 3:** *The QAI label and specification nameplate are available from QAI and must be applied at the factory.*

**Models / Ratings:** Single family dwellings classified under one major occupancy (*Group C – Residential*), constructed in single modules configurations. Modular homes under this scope have a building area not exceeding 600m<sup>2</sup>.

Residential buildings are designed and constructed within the limitations of Part 9 of QCC and OBC without fire and sound separations. This listing does not include multi-residential buildings requiring fire and sound separation or shared egress facilities, such as duplexes, row houses, townhouses, apartment buildings, hotels and motels, and/or any buildings designed with multiple major occupancies.

For a full list of structures covered under this occupancy please refer to Notes to Part 3, A-3.1.2.1.(1) Major Occupancy Classification in the Quebec Construction Code, Chapter I – Building and Ontario Building Code.

**Structural:**

Conventional Wood Frame Construction within the limitations of Part 9 of the Quebec Construction Code, Chapter I – Building and Ontario Building Code.

**Electrical Ratings:**

Up to a maximum of 120/240V, 60Hz, 100A.



**Heating/Ventilation:**

Primarily Electric Baseboard Heaters. Electrical heat pump and air conditioner units (electric only).

**Plumbing:**

Conventional drainage and venting systems to a maximum of 240 hydraulic fixture units.

**Gas Systems:**

None.

Notes: Prefabricated structures included in this listing are manufactured at a central facility and transported to the site. These modules must include provisions for on-site interconnections, connection to municipal services (water and sewage) and electrical power supply. QAI certification covers the construction of the modular buildings including any factory installed plumbing and electrical services, appliances, equipment and fixtures. QAI certification is intended to obviate the necessity of further inspection by the local regulatory authorities except for site connections to services or to other modules and for site installed features.

Site installation of products must be done according to manufacturer's installation instructions and in compliance with the requirements set by the local authority having jurisdiction.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*