



WINDOWS & DOORS LISTING PROGRAM

Customer: NAV Windows and Doors Ltd.
Class: Fenestration Products – Energy Performance
Location: Langley, British Columbia
Website: www.navwindows.com

Listing No. W600-1
Project No. W600-1 ED3
Effective Date: November 18, 2024
Last Revised Date: August 12, 2026
Expires: N/A

Standards: CSA A440.2-22 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W600
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

**Models / Ratings:****700 Series Picture Window**

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	NAV-700PC-3,270(2)-3,366(4)-3,i89(6)-13AR90SP	0.77	0.21	34
G02	NAV-700PC-3,180(2)-3,CL-3,366(6)-13AR90SP	0.97	0.34	38
G03	NAV-700PC-3,180(2)-3,270(4)-3,i89(6)-13AR90SP	0.80	0.32	40
G04	NAV-700PC-3,270(2)-3,CL-3,CL-13AR90SP	1.16	0.29	31
G05	NAV-700PC-3,180(2)-3,CL-13AR90CS	1.55	0.55	37
G06	NAV-700PC-3,180(2)-3,IS20(4)-13AR90CS	1.31	0.53	41
G07	NAV-700PC-3,CG70(2)-3,CL-13AR90CS	1.47	0.30	24
G08	NAV-700PC-3,CG70(2)-3,IS20(4)-13AR90CS	1.26	0.29	28
G09	NAV-700PC-4,CG70(2)-4,IS20(4)-12AR90CS	1.25	0.29	29
G10	NAV-700PC-5,CG70(2)-5,IS20(4)-10AR90CS	1.31	0.29	27
G11	NAV-700PC-3,180(2)-3,180(4)-3,IS20(6)-13AR90CS	0.85	0.45	47
G12	NAV-700PC-3,CG70(2)-3,180(4)-3,IS20(6)-13AR90CS	0.82	0.26	36
G13	NAV-700PC-3,CG70(2)-3,CG70(4)-3,CL-13AR90CS	0.87	0.23	33
G14	NAV-700PC-3,CG70(2)-3,CL-3,CL-13AR90CS	1.17	0.28	30
G15	NAV-700PC-3,CG70(2)-3,CL-3,IS20(6)-13AR90CS	1.03	0.27	32
G16	NAV-700PC-4,CG70(2)-4,CL-4,CL-12AR90CS	1.18	0.27	29
G17	NAV-700PC-4,CG70(2)-4,CL-4,IS20(6)-12AR90CS	1.04	0.27	32
G18	NAV-700PC-5,CG70(2)-5,CL-5,CL-10AR90CS	1.23	0.27	28
G19	NAV-700PC-5,CG70(2)-5,CL-5,IS20(6)-10AR90CS	1.09	0.27	31
G20	NAV-700PC-3,180(2)-3,CL-13AR90CS-R1	1.60	0.55	36
G21	NAV-700PC-3,180(2)-3,IS20(4)-13AR90CS-R1	1.36	0.53	40
G22	NAV-700PC-3,CG70(2)-3,CL-13AR90CS-R1	1.52	0.30	23
G23	NAV-700PC-3,CG70(2)-3,IS20(4)-13AR90CS-R1	1.30	0.29	27
G24	NAV-700PC-4,CG70(2)-4,IS20(4)-12AR90CS-R1	1.29	0.29	28
G25	NAV-700PC-5,CG70(2)-5,IS20(4)-10AR90CS-R1	1.34	0.29	27
G26	NAV-700PC-3,180(2)-3,180(4)-3,IS20(6)-13AR90CS-R1	0.89	0.46	46
G27	NAV-700PC-3,CG70(2)-3,180(4)-3,IS20(6)-13AR90CS-R1	0.87	0.26	35
G28	NAV-700PC-3,CG70(2)-3,CG70(4)-3,CL-13AR90CS-R1	0.92	0.23	32
G29	NAV-700PC-3,CG70(2)-3,CL-3,CL-13AR90CS-R1	1.21	0.28	29
G30	NAV-700PC-3,CG70(2)-3,CL-3,IS20(6)-13AR90CS-R1	1.08	0.27	31
G31	NAV-700PC-4,CG70(2)-4,CL-4,CL-12AR90CS-R1	1.22	0.27	28
G32	NAV-700PC-4,CG70(2)-4,CL-4,IS20(6)-12AR90CS-R1	1.08	0.27	31
G33	NAV-700PC-5,CG70(2)-5,CL-5,CL-10AR90CS-R1	1.27	0.27	27
G34	NAV-700PC-5,CG70(2)-5,CL-5,IS20(6)-10AR90CS-R1	1.13	0.27	30
G35	NAV-700PC-3,X180(2)-3,X180(3)-13AR90SS-R1	1.48	0.30	24
G36	NAV-700PC-3,X180(2)-3,i89(4)-13AR90SS-R1	1.26	0.32	30
G37	NAV-700PC-3,X180(2)-3,CL-3,i89(6)-13AR90SS-R1	1.05	0.30	34
G38	NAV-700PC-3,X180(2)-3,CL-3,X180(5)-13AR90SS-R1	0.92	0.28	35
G39	NAV-700PC-3,X180(2)-3,CL-3,CL-13AR90SS-R1	1.20	0.30	30
G40	NAV-700PC-3,X180(2)-3,i89(4)-3,CL-13AR90SS-R1	0.99	0.30	35
G41	NAV-700PC-3,X180(2)-3,X180(4)-3,CL-13AR90SS-R1	0.92	0.26	34
G42	NAV-700PC-3,366(2)-3,CL-3,CL-13AR90SS-R1	1.19	0.22	26
G43	NAV-700PC-3,270(2)-3,CL-3,i89(6)-13AR90SS-R1	1.05	0.29	33
G44	NAV-700PC-3,270(2)-3,270(4)-3,CL-13AR90SS-R1	0.92	0.24	33

**700 Series Single Sliding Window**

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	NAV-700SS-3,270(2)-3,366(4)-3,i89(6)-13AR90SP	0.92	0.19	29
G02	NAV-700SS-3,180(2)-3,CL-3,366(6)-13AR90SP	1.10	0.31	32
G03	NAV-700SS-3,180(2)-3,270(4)-3,i89(6)-13AR90SP	0.94	0.29	35
G04	NAV-700SS-3,270(2)-3,CL-3,CL-13AR90SP	1.26	0.26	26
G05	NAV-700SS-3,180(2)-3,CL-13AR90CS	1.66	0.49	31
G06	NAV-700SS-3,180(2)-3,IS20(4)-13AR90CS	1.45	0.48	35
G07	NAV-700SS-3,CG70(2)-3,CL-13AR90CS	1.59	0.27	19
G08	NAV-700SS-3,CG70(2)-3,IS20(4)-13AR90CS	1.40	0.26	23
G09	NAV-700SS-4,CG70(2)-4,IS20(4)-12AR90CS	1.40	0.26	23
G10	NAV-700SS-5,CG70(2)-5,IS20(4)-10AR90CS	1.45	0.26	22
G11	NAV-700SS-3,180(2)-3,180(4)-3,IS20(6)-13AR90CS	1.00	0.41	40
G12	NAV-700SS-3,CG70(2)-3,180(4)-3,IS20(6)-13AR90CS	0.98	0.23	30
G13	NAV-700SS-3,CG70(2)-3,CG70(4)-3,CL-13AR90CS	1.02	0.21	28
G14	NAV-700SS-3,CG70(2)-3,CL-3,CL-13AR90CS	1.29	0.25	25
G15	NAV-700SS-3,CG70(2)-3,CL-3,IS20(6)-13AR90CS	1.17	0.24	27
G16	NAV-700SS-4,CG70(2)-4,CL-4,CL-12AR90CS	1.30	0.25	25
G17	NAV-700SS-4,CG70(2)-4,CL-4,IS20(6)-12AR90CS	1.18	0.24	27
G18	NAV-700SS-5,CG70(2)-5,CL-5,CL-10AR90CS	1.35	0.24	23
G19	NAV-700SS-5,CG70(2)-5,CL-5,IS20(6)-10AR90CS	1.23	0.24	26
G20	NAV-700SS-3,180(2)-3,CL-13AR90CS-R1	1.69	0.49	30
G21	NAV-700SS-3,180(2)-3,IS20(4)-13AR90CS-R1	1.48	0.48	34
G22	NAV-700SS-3,CG70(2)-3,CL-13AR90CS-R1	1.62	0.27	19
G23	NAV-700SS-3,CG70(2)-3,IS20(4)-13AR90CS-R1	1.43	0.26	22
G24	NAV-700SS-4,CG70(2)-4,IS20(4)-12AR90CS-R1	1.43	0.26	22
G25	NAV-700SS-5,CG70(2)-5,IS20(4)-10AR90CS-R1	1.48	0.26	21
G26	NAV-700SS-3,180(2)-3,180(4)-3,IS20(6)-13AR90CS-R1	1.03	0.41	40
G27	NAV-700SS-3,CG70(2)-3,180(4)-3,IS20(6)-13AR90CS-R1	1.01	0.23	30
G28	NAV-700SS-3,CG70(2)-3,CG70(4)-3,CL-13AR90CS-R1	1.05	0.21	28
G29	NAV-700SS-3,CG70(2)-3,CL-3,CL-13AR90CS-R1	1.32	0.25	24
G30	NAV-700SS-3,CG70(2)-3,CL-3,IS20(6)-13AR90CS-R1	1.20	0.24	26
G31	NAV-700SS-4,CG70(2)-4,CL-4,CL-12AR90CS-R1	1.33	0.25	24
G32	NAV-700SS-4,CG70(2)-4,CL-4,IS20(6)-12AR90CS-R1	1.21	0.24	26
G33	NAV-700SS-5,CG70(2)-5,CL-5,CL-10AR90CS-R1	1.38	0.24	22
G34	NAV-700SS-5,CG70(2)-5,CL-5,IS20(6)-10AR90CS-R1	1.26	0.24	25
G35	NAV-700SS-3,X180(2)-3,X180(3)-13AR90SS-R1	1.57	0.27	20
G36	NAV-700SS-3,X180(2)-3,i89(4)-13AR90SS-R1	1.39	0.29	25
G37	NAV-700SS-3,X180(2)-3,CL-3,i89(6)-13AR90SS-R1	1.16	0.27	29
G38	NAV-700SS-3,X180(2)-3,CL-3,X180(5)-13AR90SS-R1	1.04	0.25	30
G39	NAV-700SS-3,X180(2)-3,CL-3,CL-13AR90SS-R1	1.30	0.27	26
G40	NAV-700SS-3,X180(2)-3,i89(4)-3,CL-13AR90SS-R1	1.11	0.26	29
G41	NAV-700SS-3,X180(2)-3,X180(4)-3,CL-13AR90SS-R1	1.04	0.23	29
G42	NAV-700SS-3,366(2)-3,CL-3,CL-13AR90SS-R1	1.29	0.19	21
G43	NAV-700SS-3,270(2)-3,CL-3,i89(6)-13AR90SS-R1	1.17	0.26	28
G44	NAV-700SS-3,270(2)-3,270(4)-3,CL-13AR90SS-R1	1.04	0.22	29

**700 Series Single Hung Window**

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	NAV-700SH-3,270(2)-3,366(4)-3,i89(6)-13AR90SP	0.91	0.19	29
G02	NAV-700SH-3,180(2)-3,CL-3,366(6)-13AR90SP	1.09	0.31	32
G03	NAV-700SH-3,180(2)-3,270(4)-3,i89(6)-13AR90SP	0.93	0.29	35
G04	NAV-700SH-3,270(2)-3,CL-3,CL-13AR90SP	1.25	0.26	26
G05	NAV-700SH-3,180(2)-3,CL-13AR90CS	1.66	0.49	30
G06	NAV-700SH-3,180(2)-3,IS20(4)-13AR90CS	1.44	0.48	35
G07	NAV-700SH-3,CG70(2)-3,CL-13AR90CS	1.59	0.27	19
G08	NAV-700SH-3,CG70(2)-3,IS20(4)-13AR90CS	1.39	0.26	23
G09	NAV-700SH-4,CG70(2)-4,IS20(4)-12AR90CS	1.39	0.26	23
G10	NAV-700SH-5,CG70(2)-5,IS20(4)-10AR90CS	1.44	0.26	22
G11	NAV-700SH-3,180(2)-3,180(4)-3,IS20(6)-13AR90CS	0.99	0.41	40
G12	NAV-700SH-3,CG70(2)-3,180(4)-3,IS20(6)-13AR90CS	0.97	0.23	30
G13	NAV-700SH-3,CG70(2)-3,CG70(4)-3,CL-13AR90CS	1.01	0.21	28
G14	NAV-700SH-3,CG70(2)-3,CL-3,CL-13AR90CS	1.28	0.25	25
G15	NAV-700SH-3,CG70(2)-3,CL-3,IS20(6)-13AR90CS	1.15	0.24	27
G16	NAV-700SH-4,CG70(2)-4,CL-4,CL-12AR90CS	1.29	0.25	25
G17	NAV-700SH-4,CG70(2)-4,CL-4,IS20(6)-12AR90CS	1.16	0.24	27
G18	NAV-700SH-5,CG70(2)-5,CL-5,CL-10AR90CS	1.35	0.25	23
G19	NAV-700SH-5,CG70(2)-5,CL-5,IS20(6)-10AR90CS	1.21	0.24	26
G20	NAV-700SH-3,180(2)-3,CL-13AR90CS-R1	1.68	0.50	31
G21	NAV-700SH-3,180(2)-3,IS20(4)-13AR90CS-R1	1.46	0.48	34
G22	NAV-700SH-3,CG70(2)-3,CL-13AR90CS-R1	1.61	0.27	19
G23	NAV-700SH-3,CG70(2)-3,IS20(4)-13AR90CS-R1	1.41	0.26	23
G24	NAV-700SH-4,CG70(2)-4,IS20(4)-12AR90CS-R1	1.41	0.26	23
G25	NAV-700SH-5,CG70(2)-5,IS20(4)-10AR90CS-R1	1.46	0.26	21
G26	NAV-700SH-3,180(2)-3,180(4)-3,IS20(6)-13AR90CS-R1	1.02	0.41	40
G27	NAV-700SH-3,CG70(2)-3,180(4)-3,IS20(6)-13AR90CS-R1	1.00	0.23	30
G28	NAV-700SH-3,CG70(2)-3,CG70(4)-3,CL-13AR90CS-R1	1.04	0.21	28
G29	NAV-700SH-3,CG70(2)-3,CL-3,CL-13AR90CS-R1	1.31	0.25	24
G30	NAV-700SH-3,CG70(2)-3,CL-3,IS20(6)-13AR90CS-R1	1.18	0.24	26
G31	NAV-700SH-4,CG70(2)-4,CL-4,CL-12AR90CS-R1	1.31	0.25	24
G32	NAV-700SH-4,CG70(2)-4,CL-4,IS20(6)-12AR90CS-R1	1.19	0.24	26
G33	NAV-700SH-5,CG70(2)-5,CL-5,CL-10AR90CS-R1	1.37	0.25	23
G34	NAV-700SH-5,CG70(2)-5,CL-5,IS20(6)-10AR90CS-R1	1.24	0.24	25
G35	NAV-700SH-3,X180(2)-3,X180(3)-13AR90SS-R1	1.56	0.27	20
G36	NAV-700SH-3,X180(2)-3,i89(4)-13AR90SS-R1	1.37	0.29	25
G37	NAV-700SH-3,X180(2)-3,CL-3,i89(6)-13AR90SS-R1	1.15	0.27	29
G38	NAV-700SH-3,X180(2)-3,CL-3,X180(5)-13AR90SS-R1	1.03	0.25	30
G39	NAV-700SH-3,X180(2)-3,CL-3,CL-13AR90SS-R1	1.29	0.27	26
G40	NAV-700SH-3,X180(2)-3,i89(4)-3,CL-13AR90SS-R1	1.10	0.27	30
G41	NAV-700SH-3,X180(2)-3,X180(4)-3,CL-13AR90SS-R1	1.03	0.23	29
G42	NAV-700SH-3,366(2)-3,CL-3,CL-13AR90SS-R1	1.27	0.19	22
G43	NAV-700SH-3,270(2)-3,CL-3,i89(6)-13AR90SS-R1	1.15	0.26	28
G44	NAV-700SH-3,270(2)-3,270(4)-3,CL-13AR90SS-R1	1.03	0.22	29



Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.