

LOCATIONS: WWW.QAI.ORG/LOCATIONS

BUILDING PRODUCT LISTING PROGRAM

Customer: Firestorm Building Products Class: Vents for Wildland Urban Interface (W.U.I.) Location: Loomis, CA Website: <u>https://firestormbuildingproducts.com</u>

Listing No. B1155

Effective Date: January 31, 2025 Last Revised Date: January 31, 2025 Expires: N/A

Standards:ASTM E2886-20Standard Test Method for Evaluating the Ability of
Exterior Vents to Resist the Entry of Embers and Direct
Flame Impingement - Vertical Installation OnlyASTM E84-21aStandard Method of Test for Surface Burning
Characteristics of Building MaterialsASTM E2768-11(2018)Standard Test Method for Extended Duration Surface
burning characteristics of Building Materials (30min
Tunnel Test)

Product: Firestorm Ember Mesh – stainless steel wire mesh (retrofit applications).

Firestorm Ember Vent – stainless steel wire mesh with an integrated galvanized steel perimeter frame.

- Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:
 - a) Address, including city and country of manufacture
 - b) Product Name
 - c) Production Date Code
 - d) QAI Listing File Number
 - e) ASTM E2886
 - f) ASTM E84 Class A
 - g) ASTM E2768
 - h) QAI logo shown here:





Models: Firestorm Ember Mesh

Product Code ¹	Width (in)	Length (in)	Mesh Aperture Opening (in)
FSEMESH75X50	75	50	0.065
FSEMESH36X50	36	50	0.065
FSEMESH48X50	48	50	0.065
FSEMESH**X**	Custom Sizes Available		0.065

Firestorm Ember Vents

Product Code ¹	Width (in)	Length (in)	Flange Size (in)	Mesh Aperture Opening (in)
FSEV414	4	14	5/8	0.065
FSEV614	6	14	5/8	0.065
FSEV814	8	14	5/8	0.065
FSEV422	5	22	5/8	0.065
FSEV622	6	22	5/8	0.065
FSEV822	8	22	5/8	0.065
FSEV3514	35	14	1.5	0.065
FSEV5514	55	14	1.5	0.065
FSEV7514	75	14	1.5	0.065
FSEV3522	35	22	1.5	0.065
FSEV5522	55	22	1.5	0.065
FSEV7522	75	22	1.5	0.065
FSEV148	14	8	1.5	0.065
FSEV1412	14	12	1.5	0.065
FSEV1418	14	18	1.5	0.065
FSEV1424	14	24	1.5	0.065
FSEVXXXX	Custom Sizes Available			0.065

Note 1: Custom sizes available on request XXXX=width x length

Ratings:

Product Code	ASTM E 2886	
	Compliant for vertical	
Firestorm Ember Mesh	retrofit vent applications	
	only ² .	
Firestorm Ember Vents	Compliant for vertical	
Firestorn Ember vents	vent applications only ² .	

Note 2: Example of vertical vents may include gable vents, foundation vents and vertical under eave / soffit vents.



LOCATIONS: WWW.QAI.ORG/LOCATIONS

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at <u>www.qai.org</u> for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to <u>info@qai.org</u>. Please include the listing number in the request.
