



ELECTRICAL LISTING PROGRAM

Customer: Fortress Interlocks
Class: Elevator Interlock Switch for jobsite elevators
Location: Kentucky, USA
Listing No. E11242
Report No. E11242-2101
Project No. E11242-2101
Effective Date: May 5, 2023
Last Revised N/A
Date:
Expires: N/A
Standards: CSA B44.1-19 / ASME A17.5-2019 - Elevator and Escalator Electrical Equipment
ASME A17.1-2019/CSA B44-19 - Safety Code for Elevators and Escalators
CSA B355-19 - Platform Lifts and stair lifts for barrier-free access
ASME A18.1-2020 - Safety Standard for Platform Lifts and Stairway Chairlifts

Product: Elevator Interlock Switch for jobsite elevators

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) Model designation
- c) Month and year of manufacture
- d) Product ratings: voltage, frequency, watts
- e) QAI file Number: E11242
- f) The wording "CSA B44.1/ASME 17.5", "CSA B44-19/ASME A17.1", "CSA B355-19", "ASME A18.1".
- g) Warning markings as required by the standards in English and French
- h) QAI logo shown here:



Models / Ratings:

Model	Rating	Description	Environmental Locations
TA2T6SL411	24V DC 3A	Elevator Interlock Switch	Dry Location