



BUILDING PRODUCT LISTING PROGRAM

Customer: FireStorm Building Products

Class: Vents for Wildland Urban Interface (W.U.I.)

Location: Loomis. CA

Website: https://firestormbuildingproducts.com

Listing No. B1155-2

Effective Date: November 21, 2025 Last Revised Date: November 21, 2025

Expires: N/A

Standards: ASTM E2886/E2886M-Standard Test Method for Evaluating the Ability of

> Exterior Vents to Resist the Entry of Embers and Direct 20

Flame Impingement – Horizontal and Vertical Installations

Product: V2 Vents by FireStorm

Products are marked in a permanent manner, where the marking is readily visible Markings:

after installation, with the following:

a) Address, including city and country of manufacture

b) Product Name

c) Production Date Code

d) QAI Listing File Number

e) ASTM E2886/E2886M-20

f) QAI logo shown here:







Models: VG, VFS, VFC, and VER Vents

VSC				
Body Size (Width × Height), in.				
120 × 0.75				
120 × 1.5				
120 × 1				
120 × 2				
120 × 2.5				
120 × 3				
120 × 3.5				
120 × 4				
120 × 5				
120 × 6				
18 × 4				
36 × 4				
72 × 4				
18 × 6				
36 × 6				
72 × 6				
Custom Sizes Available				
VG				
Body Size (Width × Height), in.				
14 × 8				
14 × 12				
18 × 14				
24 × 14				
Custom Sizes Available				
VFS				
14 × 4				
14 × 6				
14 × 8				
22 × 4				
22 × 4 22 × 4				
22 × 4				
22 × 4 22 × 4				
22 × 4 22 × 4 14 × 3.5				
22 × 4 22 × 4 14 × 3.5 14 × 5.5				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5 22 × 3.5				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5 22 × 3.5 22 × 5.5				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5 22 × 3.5 22 × 5.5 22 × 7.5				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5 22 × 3.5 22 × 5.5 22 × 7.5 Custom Sizes Available				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5 22 × 3.5 22 × 5.5 22 × 7.5 Custom Sizes Available Custom Sizes Available				
22 × 4 22 × 4 14 × 3.5 14 × 5.5 14 × 7.5 22 × 3.5 22 × 5.5 22 × 7.5 Custom Sizes Available				



			7
			Ш
	H	Ш	Ш
4			IJ

VSB7519	19 × 7.5		
VSB(X)C(*)	Custom Sizes Available		
VER			
VER2	2		
VER2M	2		
VER3	3		
VER3M	3		
VER4	4		
VER4M	4		
VER6M	6		

(X)=Dimension

(*)=Denotes Flange Type

(C)=Custom

Available Flange Types **FF** = Flange Front, **S** = Stucco, **FB** = Foam Back, **FC** = Fiber Cement, **R** = Retro, **SL** = Single Leg, **M** = Mesh, **RT** = Reverse Tab, **SMC** = Stucco Milcor, **IF** = Inspection Flange, **RV** = Ridge Vent, **M** = Mesh

Ratings:

Product Code	ASTM E2886/E2886M-20
V2 Vents by FireStorm	Compliant with horizontal and vertical retrofit vent applications.

The materials, products, or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated in each Listing. Only products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org to view the most up-to-date version of this Listing and confirm that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.