



ELECTRICAL LISTING PROGRAM

Customer: Otolift Trapliften B.V.
Class: Stairway Chairlift
Location: Bergambacht, Netherlands

Listing No. E11438
Report No. E11438-1 Ed.1
Project E11438-1 Ed.1 (QA-2587)
No.
Effective Dec 19, 2025
Date:
Last N/A
Revised
Date:
Expires: N/A

Standards: ASME A17.5-25 : Elevator and escalator electrical equipment
CSA B44.1-25: Elevator and Escalator Electrical Equipment
With reference to:
CSA B355-22 :Lifts for persons with physical disabilities
With reference to:
ASME A18.1-2020: Safety Standard for Platform Lifts and Stairway Chairlifts

Product: Stairway Chairlift

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) Model designation
- c) Month and year of manufacture
- d) Product ratings: voltage, frequency, watts
- e) QAI file Number: E11438
- f) The wording "ASME A17.5 and CSA B44.1"
- g) Warning markings as required by the standards in English and French
- h) The rated load capacity in kg or lb, rated speed in fpm or m/s and drive type.
- i) QAI logo shown here:



Models /
Ratings:

Model #	Multiple Listee Model #	Battery rating	power supply rating	Location
Otolift Modul-Air Smart	N/A	2 × 12 VDC 7Ah	Input: 90- 264Vdc Output: 36 Vdc 60W.	indoor