

WINDOWS & DOORS LISTING PROGRAM

Customer: Super Windows Ltd. DBA Silverline Exterior Solutions
Class: Fenestration Products – Energy Performance
Location: Port Coquitlam, British Columbia
Website: <http://www.silverlineexteriors.com>

Listing No. W470
Project No. W470-3 ED1
Effective Date: August 31, 2026
Last Revised Date: August 31, 2026
Expires: N/A

Standards: CSA A440.2-22 “Fenestration Energy Performance”

Product: Vinyl Doors

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W470
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

7000 Series Out-Swing Side-Hinged Door

GO #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SLIN-7KOSHD-3,SB60(2)-3,CL-16AR95CU-R4	1.43	0.25	N/A
G02	SLIN-7KOSHD-3,SB70(2)-3,CL-16AR95CU-R4	1.40	0.17	N/A
G03	SLIN-7KOSHD-3,SB60(2)-3,i89(4)-16AR95CU-R4	1.23	0.24	N/A
G04	SLIN-7KOSHD-3,SB70(2)-3,i89(4)-16AR95CU-R4	1.21	0.16	N/A
G05	SLIN-7KOSHD-3,SB60(2)-3,CL-3,CL-13AR95CU-R4	1.18	0.23	N/A
G06	SLIN-7KOSHD-3,SB70(2)-3,CL-3,CL-13AR95CU-R4	1.16	0.15	N/A
G07	SLIN-7KOSHD-3,SB60(2)-3,CL-3,i89(6)-13AR95CU-R4	1.06	0.22	N/A
G08	SLIN-7KOSHD-3,SB70(2)-3,CL-3,i89(6)-13AR95CU-R4	1.05	0.15	N/A
G09	SLIN-7KOSHD-3,SB60(2)-3,SB60(4)-3,CL-13AR95CU-R4	0.96	0.20	N/A
G10	SLIN-7KOSHD-3,SB70(2)-3,SB70(4)-3,CL-13AR95CU-R4	0.94	0.13	N/A
G11	SLIN-7KOSHD-3,SB60(2)-3,SB60(4)-3,i89(6)-13AR95CU-R4	0.90	0.19	N/A
G12	SLIN-7KOSHD-3,SB70(2)-3,SB70(4)-3,i89(6)-13AR95CU-R4	0.88	0.12	N/A

8000 Series Sliding Patio Door

GO #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SLIN-8000SD-4,SB60(2)-4,CL-13AR95CU-R1	1.60	0.33	23
G02	SLIN-8000SD-4,SB70(2)-4,CL-13AR95CU-R1	1.57	0.23	18
G03	SLIN-8000SD-4,SB60(2)-4,i89(4)-13AR95CU-R1	1.35	0.32	28
G04	SLIN-8000SD-4,SB70(2)-4,i89(4)-13AR95CU-R1	1.33	0.22	23
G05	SLIN-8000SD-4,270(2)-4,CL-13AR90SS-R1	1.58	0.30	22
G06	SLIN-8000SD-4,366(2)-4,CL-13AR90SS-R1	1.55	0.23	18
G07	SLIN-8000SD-4,270(2)-4,i89(4)-13AR90SS-R1	1.33	0.30	27
G08	SLIN-8000SD-4,366(2)-4,i89(4)-13AR90SS-R1	1.31	0.22	23
G09	SLIN-8000SD-4,SB60(2)-4,CL-13AR95CU-R2	1.58	0.33	23
G10	SLIN-8000SD-4,SB70(2)-4,CL-13AR95CU-R2	1.55	0.23	18
G11	SLIN-8000SD-4,SB60(2)-4,i89(4)-13AR95CU-R2	1.33	0.32	28
G12	SLIN-8000SD-4,SB70(2)-4,i89(4)-13AR95CU-R2	1.31	0.22	23
G13	SLIN-8000SD-4,SB60(2)-4,CL-13AR95CU-R3	1.57	0.33	24
G14	SLIN-8000SD-4,SB70(2)-4,CL-13AR95CU-R3	1.54	0.23	19
G15	SLIN-8000SD-4,SB60(2)-4,i89(4)-13AR95CU-R3	1.32	0.32	29
G16	SLIN-8000SD-4,SB70(2)-4,i89(4)-13AR95CU-R3	1.30	0.22	23
G17	SLIN-8000SD-3,SB60(2)-3,CL-3,CL-8AR95CU-R1	1.47	0.31	25
G18	SLIN-8000SD-3,SB60(2)-3,SB60(4)-3,CL-8AR95CU-R1	1.22	0.27	28
G19	SLIN-8000SD-3,SB60(2)-3,SB60(4)-3,i89(6)-8AR95CU-R1	1.10	0.26	30
G20	SLIN-8000SD-3,SB70(2)-3,CL-3,CL-8AR95CU-R1	1.45	0.21	19
G21	SLIN-8000SD-3,SB70(2)-3,SB70(4)-3,CL-8AR95CU-R1	1.20	0.17	23
G22	SLIN-8000SD-3,SB70(2)-3,SB70(4)-3,i89(6)-8AR95CU-R1	1.08	0.17	25

Notes:

- Windows and doors are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.